

INDEX MAPS.

T. 8 N. R. 13 E. 2nd Mer.

230	231	231				
233 6	237 5	238 4	3	2	1	
237	238	238				
233 7	237 8	238 9	10	11	12	
236	237					
232 18	236 17	16	15	14	13	
236	235					
232 19	235 20	21	22	23	24	
234	235					
232 30	234 29	28	27	26	25	
234	234					
231 31	233 32	33	34	35	36	
230	230					

T. 9 N. R. 13 E. 2nd Mer.

241	241	241	242			
244 6	251 5	252 4	252 3	2	1	
251	252	252				
244 7	251 8	250 9	10	11	12	
249	251	250				
243 18	249 17	249 16	15	14	13	
248	250	248				
243 19	248 20	248 21	22	23	24	
247	247	246				
243 30	247 29	246 28	27	26	25	
245	245	245				
242 31	245 32	245 33	34	35	36	
240	240	240				

The figures on the lines refer to the page.

Township N^o 8 North, Range N^o 13 East 2nd Mer. Co.

Ch. & Co. Township Lines.

South Boundary.

East On S. Side of Sec. 31.

16.58 a Bl. Oak 28 in. diam.

40.00 Set gr. sec. post, from which
an Ash 7 in. dia. bears S 8 E. 9 $\frac{1}{2}$ $\frac{1}{2}$ dist. X
an Ash 14 " " " N 11 W. 35 " "

40.50 a Brook 40 $\frac{1}{2}$ wide Course S. W.

47.35 a Hickory 16 in. diam.

80.00 Set post Cor. to Sec. 31 & 32, from which
a Hickory 20 in. dia. bears N 89 E. 38 $\frac{1}{2}$ dist.
a Wh. Oak 42 in. dia. " S 68 W. 24 " "

Land, first half Broken, rest level
Timb. Oak Hickory Poplar Ash &c.

East On S. Side of Sec. 32.

11.60 a Wh. Oak 24 in. diam.

244.0 To Boundary line and set post fr. wh.
a Wh. Oak 16 in. dia. bears S 81 W. 30 $\frac{1}{2}$ dist. X

a Do. 18 " " " N 23 E. 13 " "

Land, level. Timb. Oak Hickory and
Poplar Ash &c.

Nov. 23^d 1806.

Surveyed by John Brownson.
Deputy Surveyor.

North Boundary.

East On S. Side of Sec. 31. T. 9 N. R. 13 E.

25.80 a Wh. Oak 22 in. diam.

40.00 Set gr. sec. post, from which
a Wh. Oak 8 in. dia. bears N 65 E. 14 $\frac{1}{2}$ dist. X
a Wh. Oak 22 " " " N 65 W. 67 " "

62.36 a Bl. Oak 24 in. diam.

77.25 a Brook 12 $\frac{1}{2}$ wide Crs. S.

80.00 Set post Cor. to Sec. 31 & 32. fr. wh.
a Wh. Oak 18 in. dia. bears N 76 W. 23 $\frac{1}{2}$ dist. X

T. 8 N. R. 13 E. 2nd Mer. Indiana.

ch. 1st a Wh. Oak 20 in. dia. bears N 60 E. 27 lb. dist. &
Land, varying. Timber: Oak, Hickory,
Beech, Poplar &c.

East On E. side of Sec. 32. T. 9 N. R. 13 E.

1.70 a Wh. Oak 28 in. diam.
20.22 a Poplar 16 in. diam.
40.00 Set gr. sec. post. from which
a Wh. Oak 2 in. dia. bears N 20 E. 15 lb. dist.
a Wh. Oak 10 " " " S 9 E. 20 " "
80.00 Set post cor. to Sec. 32 & 33, fr. wh.
a Wh. Oak 11 in. dia. bears N 57 E. 15 lb. dist.
a Do. - " " " S 61 W. 14 " "
Land, varying Timber: Oak, Hickory,
Poplar Sugar Gum &c.

East On E. side of Sec. 33. T. 9 N. R. 13 E.

7.10 a stream 6 lb. wide runs South.
13.52 a Wh. Oak 52 in. diam.
17.79 Thuck Boundary & set post. from
a Hickory 9 in. dia. bears S 22 W. 18 lb. dist.
a Hickory 9 " " " N 62 E. 18 " "
Land, varying. Timber: Oak, Hickory,
Gum, Sugar &c.

January 17th 1807.
Surveyed by John Brownson
Deputy Surveyor.

West Boundary

Var. 5th E.

North On E. side of Sec. 36. T. 8 N. R. 12 E.

4.50 a stream 6 lb. wide Course S. E.
40.00 Set gr. sec. post. from which
a Beech 14 in. dia. bears S 40 W. 50 lb. dist.
a Beech 16 " " " S 69 E. 15 " "
47.00 a stream 10 lb. wide Course N. E.

232

T. 8 N. R. 13 E. 2nd Mer. Indiana.

80.00 Set post Cor. to sec. 25 & 36, fr. which
a Beech 12 in. dia. bears S. 12 E. dist. &
a Do. 8 " " " N 60 W. 22 W. dist.
Land, level Tim. Beech Oak Gum.
& Poplar &c. 2nd rate.

North On E. side of Sec. 25. T. 8 N. R. 12 E.
40.00 Set gr. sec. post from which
a Beech 14 in. dia. bears N 74 W. 15 E. dist.
a Hickory 14 in. " " S 37 E. 29 " "
50.00 a stream 8 ft. wide course E.
80.00 a Beech 12 in. dia. for post corner
to sections 24 & 25, from which
Land, level Beech Oak & Poplar.
3rd rate.

North On E. side of Sec. 24. T. 8 N. R. 12 E.
40.00 Set gr. sec. post from which
a Beech 10 in. dia. bears W. 19 E. dist. &
a Hickory 15 in. " " N 60 E. 20 " "
80.00 Set post Cor. to Sec. 13 & 24 from wh.
a Beech 14 in. dia. bears N 68 W. 22 E. dist.
& a Do. 16 " " " S 5 E. 35 " "
Land, level Soil Cold 3rd rate.
Timber, Beech and Oak.

North On E. side of Sec. 13. T. 8 N. R. 12 E.
40.00 Set gr. sec. post from which
a Hickory 12 in. dia. bears East. 19 E. dist.
an Elm 12 " " " S 20 E. 33 " "
40.00 a stream 10 ft. wide course E.
80.00 Set post Cor. to Sec. 12 & 13. from wh.
a wh. Oak 30 in. dia. bears N 60 E. 25 E. dist.
a Gum 14 " " " S 59 W. 16 " "
Land, level 3rd rate. Timb. Beech
Oak & Poplar, &c.

T. 8 N. R. 13 E. 2nd Mer. Indiana.

North On E. side of Sec. 12. T. 8 N. R. 13 E.

5.50 a stream 6th wide course S. E.

40.00 Set q. sec. post, from which

a Beech 22 in. dia. bears S 38° W. 12th dist.

a Do. 8 " " " E. 33 " "

80.00 Set post cor. of Sec. 11 & 12. fr. wh.

a Beech 10 in. dia. bears N 48° E. 6th dist.

a Beech 8 " " " N 10° W. 16 " "

Land level. Limb. Beech, Oak,

Maple, Poplar &c. Soil Cold 3rd rate.

North On E. side of Sec. 1. T. 8 N. R. 13 E.

40.00 Set q. sec. post, from which

a Beech 20 in. dia. bears S 82° W. 22th dist.

a Gum 12 " " " N 40° E. 22 " "

66.41 a Beech 18 " "

80.00 Set post of Townships N. 8 & 9 N.

Ranges 12 & 13 E. from which

a Gum 18 in. diam. bears S 69° W. 13th dist.

a Maple 10 " " " N 45° W = " "

Land level 3rd rate soil Cold -

Good meadow land. Limb. Beech

Oak and Maple.

Surveyed in Oct. 1806.

By John Brownson

Deputy Surveyor.

Subdivision

North Between Sec. 31 & 32.

40.00 Set q. sec. post, from which

a Hickory 5 in. dia. bears S 47° E. 23th dist.

a Do. 5 " " " N 81° W. 25 " "

80.00 Set post cor. to Sec. 29, 30 & 31 & 32

a Dogwood 4 in. dia. bears N 40° E. 6th dist.

a Beech 4 in. dia. bears S 85° W. 14 " "

Land level 2nd rate. Limb. with

234

T. 8 N. R. 13 E. 2nd Mer. Indiana.

Beech, Wh. Oak, Hickory &c.

West On Random between Sec. 30 & 31.
40.00 Set temp. y. gr. Sec. post.
80.00 Set post Cor. to sec. 30 & 31

East Corner line (Between Sec. 30 & 31.
7.00 a stream 6 ft. wide course S. W.
40.00 Set gr. Sec. post. from which
a Maple 14 in. dia. bears S 20 W. 17 ft. dist. }
a Beech 10 " " " S 20 W. 7 " "
65.00 a stream 12 ft. wide course south.
80.00 Sec. line. - 2nd rate.
Land, level Timb. Oak Hickory &c.

East Between sections 29 & 32.
39.18 To the Indian Boundary & set a
post, from which
a Gum 8 in. dia. bears N 10 W. 6 ft. dist. }
a Do. 15 " " " S 60 E. 26 " "
Land &c. similar to the last mile.

North Between sections 29 & 30.
40.00 Set gr. Sec. post from which
a Hickory 14 in. dia. bears S 31 E. 26 ft. dist. }
a Wh. Oak 44 " " " N 78 W. 23 " "
80.00 Set post Cor. to Sec. 19, 20, 29 & 30, f. wh.
a Gum 6 in. dia. bears S 80 W. 16 ft. dist. }
a Hickory 8 in. " " " S 27 E. 9 " "
Timb. Beech Oak Hickory & Gum.

West On Random betwⁿ Sec. 19 & 30.
40.00 set temp. y. gr. Sec. post.
80.00 Intersect N & S. line 50 ft. S. of post.
Land, level. Timb. Beech Wh. Oak
Hickory, Open wood. 2nd rate.

T. 8 N. R. 13 E. 2nd Mer. Indiana

East Corner line between Sec. 19 & 20.

16.50 a stream 16 ft. wide course S.

40.00 Set gr. sec. post. from which
a Hickory 10 in. dia.

80.00 Section Corner.

East Between Sec. 20 & 29.

40.00 Set gr. sec. post. from which
a Poplar 16 in. dia. bears S 79 E. 22 ft. dist.
a Gum 12 in. dia. " N 80 E. 28 ft. dist.49.75 To the Indian Boundary line &
set post cor. to S. line, from which
a Maple 6 in. dia. bears S 80 E. 6 ft. dist. &
a Wh. Oak 12 " " " N 40 W. 24 " "
Land, level. Timb. Beech, Oak,
Hickory, Maple &c. Open woods.

North Between sections 19 & 20.

40.00 Set gr. sec. post. from which
a Sugar 14 in. dia. bears N. 70 E. 16 ft. dist. &
a Dogwood 3 in. " " W. 8 " "80.00 set post cor. to Sec. 17, 18, 19 & 20. -
a Wh. Oak 40 in. dia. bears S 40 W. 18 ft. dist.
a Poplar 10 " " " N 30 W. 17 ft. dist.
Land, level 2nd rate. Timb. Beech
Oak &c. Open woods.

East Between Sec. 17 & 20.

30.00 a stream 6 ft. wide course N. E.

40.00 Set gr. sec. post. from which
a Gum 10 in. dia. bears S 60 W. 21 ft. dist.
a Wh. Oak 18 in. dia. " N 50 E. 25 " "62.72 To the Indian Boundary Line
& set post from which
a Buckeye 12 in. dia. bears N 45 W. 14 ft. dist. &
a Sugar 14 " " " S 55 E. 25 " "

236

T. 8 N. R. 13 E. 2nd Mer. Indiana.

Land, level. Timb. Beech Oak and
Hickory &c.

Well Between sections 18 & 19. Random.
40.00 set temp y. gr. sec. post.
80.05 To the post on the Range line.

East Corner line between sec. 18 & 19.
40.02 set gr. sec. post. from which
a Poplar 40 in. diam. bears N 54 W 40 ft.
a Beech 12 " " " E. 8 ft. dist.
80.05 Section Corner.

North Between sections 17 & 18.
34.50 a stream 6 ft. wide course E.
40.00 set gr. sec. post. from which
a Hickory 8 in. dia. bears N 33 E. 22 ft.
No other tree given
75.00 a stream 10 ft. wide course E.
80.00 set post cor. to Sec. 7, 8, 17 & 18, from which
a Hickory 18 in. dia. bears N 10 E. 13 ft. dist.
a Sugar 6 in. dia. bears N 70 W 18 " "
Land Broken. Timb. Oak and
Hickory. 3^d rate.

West On Random between sec. 7 & 18.
40.00 set temp y. gr. sec. post.
80.10 Well 30 ft. S. of post. on Range line.

East Corner line between sec. 7 & 18.
2.50 a stream 6 ft. wide course E.
40.05 set gr. sec. post. from which
a Wh. Oak 18 in. dia. bears N 84 W 24 ft. dist.
an Oak 12 " " " N 66 E. 20 " "
80.10 Section Corner. Land Broken
3^d rate. Timb. Oak. Hickory &c.

S 8 N. S 6. 13 E. 2nd Mer. Ind^a

East Between Sections 8 & 17.

5.00 a stream to right 20 lb.

40.00 set gr. sec. post. from which
a Poplar 12 in. dia. bears N 45 E. 10 lb. dist.
a Do. 12 " " " S. 8 " "

75.79 To the Indian boundary line &
set post from which
a Wh. Oak 14 in. dia. bears N 50 W. 19 lb. dist.
a Do. 12 " " S 22 E. 21 " "
Land, broken. Timber: Oak Hickory
and Dogwood.

North Between sections 7 & 8.

40.00 set gr. sec. post. from which
a Beech 4 in. dia. bears N 50 E. 25 lb. dist. &
a Beech 5 " " " N 47 W. 14 " "

80.00 set post. cor. to Secs. 5, 6 & 7 & 8, fr. wh.
a Wh. Oak 44 in. diam. bears N 36 W. 29 lb. dist.
a Poplar 8 in. dia. " S 17 W. 23 " "
Land, broken. Timber: Poplar,
Oak, Beech Hickory Dogwood &c.

West On Random between Secs. 6 & 7.

40.00 set temp. 7 gr. sec post.

79.90 Intersect N & S. line 30 lb. S. of post.

East Correct line between Secs. 6 & 7.

39.95 set gr. sec. post. from which
a " 16 in. dia. bears N 48 E. 14 lb. dist. and
a Poplar 16 in. dia. N 55 W. 14 " "

79.90 Section corner.
Land, level. Timber, Beech Oak,
Boiers & Bantsh.

North Between Sections 5 & 6.

39.50 a stream 20 lb. wide course S. E.

40.00 set gr. sec. post, from which
an Elm 8 in. diam. bears N. 18 W. dist 7
a W. Oak 28 in. " " 30 " "

80.71 Intersect N. Boundary of Township
at post.

Land on this mile broken 3rd rate.
Timber: Beech Oak Hickory & Gum.

East Between Sections 5 & 8.

40.00 set gr. sec. post, from which
a Oak 24 in. dia. bears N. 53 W. dist 8
a Beech 16 in. dia. " " 50 " "

80.00 set post cor. of Sec. 4, 5, & 8. from which
a B. Oak 28 in. dia. bears S 36 E. 1/4 (W. dist.)
a Maple 5 " " " 168 W. 8 " "

Land on this mile level 3rd rate.
Timber: Oak Hickory Green Birch &c.

East Between Sections 4 & 9.

7.14 To the Indian Boundary line and
set a post, from which
a Hickory 12 in. dia. bears ^{N 87 W.} 16 W. dist. 8
a W. Oak 14 in. dia. bears ^{South 16} " " " " " "
Land, similar to the preceding, mile
Oak Hickory &c.

South Between Sections 8 & 9.

40.00 a Dogwood sapling 6 in. diam. stands
for gr. sec. post.

44.06 To the Indian Boundary, where
a W. Oak 12 in. diam. stands for post.
Land Broken 3rd rate. Timber Oak
Beech Hickory Dogwood - Birch.

North Between Sections 4 & 5.

13.00 a Spring Branch runs N. 20 E.

25.50 a Stream 16 ft. wide Course East.

T. 8 N. R. 13 E. 2nd Mer. Indiana.

ch. No.

40.00 Set gr. sec. post from which
a Beech windmill bears S 38 E 30 Ch. dist. 8
a White oak " " " N 63 W 19 " "

63.50 a Spring Branch runs S. W.

79.71 To the North Boundary and set post
from which * Well 54 Ch. W. of post.
a White oak windmill bears S 84 E 80 Ch. dist. 8
a Gum 10 " " " N 50 W 46 " "
Land on this mile some broken. —
Timber: Oak, Hickory, Dogwood — briars.
Surveyed in 1806.

By Stephen Sudlow.

Deputy Surveyor.

I Certify that the foregoing transcripts of
field notes of fractional Township N. 8 North
in Range N. 13 East, 2nd Meridian, Indiana,
has been compared with the original in
this office and found to be correct.

Surveyor General's Office.
Detroit Nov. 1. 1849.

} — Lucius Lyon
Sur Gen.